EAST Search History

EAST Search History (Prior Art)

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L9	1	((BUTCHER-DAVID \$) and (HILL- STEPHEN\$) and (FRANCIS-HEDLEY \$) and (VASEKIN- VLADIMIR\$) and (ROSE-ANDREW\$)). in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2010/05/21 20:49
S1	366	(712/208).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 11:23
S2	144	(712/211).OCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 11:23
S3	319	(712/233).OCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 11:24
S4	397	(712/234).OCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 11:24
S5	529	(712/244).OCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 11:24
S 6	1	(compar\$ near4 branch\$3) with (array near4 (boundar\$3 or end \$4 or empt\$5 or full \$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 12:22
S 7	23	(compar\$ near4 branch\$3) same (array near4 (boundar\$3 or end \$4 or empt\$5 or full \$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 11:29

	("6332215").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 11:29
4	(compar\$ with branch\$3) with (array with (boundar\$3 or end \$4 or empt\$5 or full	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 11:35
139	(exception\$1) with (array with (boundar\$3 or end \$4 or empt\$5 or full \$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 11:35
3	(exception\$1) with (array with (boundar\$3 or end \$4 or empt\$5 or full \$4)) with branch\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 11:39
23	(exception\$1) near4 (array near4 (boundar\$3 or end \$4 or empt\$5 or full \$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 12:36
11	(compar\$ near4 branch\$3) with exception\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 12:34
2	(compar\$ near4 (branch\$3 or jump \$3)) same ((exception\$1 or interrupt\$1) near4 array\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 12:35
36	(exception\$1 or interrupt\$1) near4 (array near4 (boundar\$3 or end \$4 or empt\$5 or full	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 12:36
291	(exception\$1 or interrupt\$1) near4 (branch\$3 or jump \$3) near4 (compare or conditional)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 12:54
	139 23 36	branch\$3) with (array with (boundar\$3 or end \$4 or empt\$5 or full \$4)) 139 (exception\$1) with (array with (boundar\$3 or end \$4 or empt\$5 or full \$4)) 3 (exception\$1) with (array with (boundar\$3 or end \$4 or empt\$5 or full \$4)) with branch\$3 23 (exception\$1) near4 (array near4 (boundar\$3 or end \$4 or empt\$5 or full \$4)) 11 (compar\$ near4 (boundar\$3 or end \$4 or empt\$5 or full \$4)) 11 (compar\$ near4 (branch\$3) with exception\$1 2 (compar\$ near4 (branch\$3 or jump \$3)) same ((exception\$1 or interrupt\$1) near4 array\$1) 36 (exception\$1 or interrupt\$1) near4 (array near4 (boundar\$3 or end \$4 or empt\$5 or full \$4)) 291 (exception\$1 or interrupt\$1) near4 (compar\$ or interrupt\$1) near4 (compar\$ or	JPO; IBM_TDB 4	JPO; IBM_TDB	JPO; IBM_TDB

S17	0	(exception\$1 or interrupt\$1) near4 (branch\$3 or jump \$3) near4 (compare or conditional) near4 (pre?determin\$3 or pre?program\$4 or know\$3) near4 (target near4 address\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 12:55
S18	0	(exception\$1 or interrupt\$1) near4 (branch\$3 or jump \$3) near4 (compare or conditional) near4 (target near4 address\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 12:55
S19	9	(branch\$3 or jump \$3) near4 (compare or conditional) near4 (exception\$1 or interrupt\$1) near4 (handler\$3 or rountine\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/03 12:56
S20	0	(null near4 exception\$1) with co?process\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/04 15:05
S21	0	(null near4 exception\$1) same co?process\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/04 10:54
S22	0	(null with exception \$1) same co? process\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/04 14:44
S23	0	(exception\$1) with co?process\$3 with (RISC and CISC)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/04 10:55
S24	0	(exception\$1 with co?process\$3) same (RISC and CISC)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/04 10:55

S25	65	(exception\$1 with co?process\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/04 10:58
S26	65	(exception\$1 with co?process\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/04 11:03
S27	0	(exception\$1 with co?process\$4) and (RISC near4 CISC near4 emulat\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/04 10:55
S28	0	(exception\$1 with co?process\$4) and (RISC with CISC with emulat\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/04 10:56
S29	0	(exception\$1 with co?process\$4) and (RISC same CISC same emulat\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/04 10:56
S30	0	((exception\$1 or trap\$5 or interrupt \$3) with co?process \$4) and (RISC same CISC same emulat\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/04 10:56
S31	1	((exception\$1 or trap\$5 or interrupt \$3) same co? process\$4) and (RISC same CISC same emulat\$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/04 10:56
S32	3	(exception\$1 near4 co?process\$3 near4 register\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/04 10:58
S33	8	(exception\$1 with co?process\$4 with register\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/04 11:09
S34	13	(exception\$1 same (co?process\$4 with register\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/04 11:12

S35	19	(exception\$1 or trap \$4 or interrupt\$3) with (RISC with CISC with (emulat \$3 or translat\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/04 11:13
S36	41	(("3889243") or ("4236204") or ("4587632") or ("4969091") or ("4922414") or ("5136696") or ("5455775") or ("5619665") or ("5659703") or ("5740461") or ("5742802") or ("5784584") or ("5784584") or ("5889336") or ("5889336") or ("5892966") or ("5925123") or ("5925123") or ("5937193") or ("5937193") or ("6003126") or ("6009499") or ("6009499") or ("602469") or ("6021469") or ("6021469") or ("603192") or ("6038786") or ("6038786") or ("6038786") or ("6125439") or ("6125439") or ("6125439") or ("6125439") or ("6338134") or ("6338134") or ("6374286") or ("6374286") or ("6374286") or ("6374286") or ("6374286") or	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/04 11:36
S37	87	(null with exception \$1) same handl\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/04 14:44

S38	55	(null with exception \$1) with handl\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/04 14:45
S39	O	((null with exception \$1) with handl\$3) and ((interrup\$3 or except\$5 or trap \$5) near4 co? process\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/04 14:45
S40	0	((null with exception \$1) with handl\$3) and ((interrup\$3 or except\$5 or trap \$5) with co?process \$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/04 14:45
S41	0	((null with exception \$1) with handl\$3) and (co?process\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/04 14:45
S42	87232	(exception\$1 or trap \$5 or interrupt\$3) near4 process\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/04 15:05
S43	21785	(exception\$1 or trap \$5 or interrupt\$3 near4 handler) near4 process\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/04 15:05
S44	2039	((exception\$1 or trap\$5 or interrupt \$3) near4 handler) near4 process\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/04 15:05
S45	1	((exception\$1 or trap\$5 or interrupt \$3) near4 handler) near4 co?process\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/04 15:07
S46	11	((exception\$1 or trap\$5 or interrupt \$3) near4 handl\$3) near4 co?process\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/04 16:06
S47	1	("5781750").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/04 16:06
S48	56	RISC near4 CISC near4 emulat\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/04 16:09

S49	1	(parady).in. and (712/??).ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/08 10:50
S50	3	multi?thread\$3 same (shadow near4 register\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/08 10:54
S51	41	(parady).in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/08 10:50
S52	62	multi?thread\$3 and (shadow near4 register\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/08 10:55
S53	35	sun.as. and (shadow near4 register\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/05/08 10:55
S54	386	(712/208).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/06 16:30
S55	150	(712/211).OCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/06 16:30
S56	337	(712/233).OCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/06 16:30
S57	409	(712/234).OCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/06 16:30
S58	567	(712/244).OCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2006/12/06 16:30

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	29	(712/208).CCLS.	UPAD	OR	OFF	2010/05/21 20:46
L2	1	(712/211).OCLS.	UPAD	OR	OFF	2010/05/21 20:47

L3	10	(712/233).CCLS.	UPAD	OR	OFF	2010/05/21 20:47
L4	19	(712/234).CCLS.	UPAD	OR	OFF	2010/05/21 20:47
L5	12	(712/244).CCLS.	UPAD	OR	OFF	2010/05/21 20:47
L6	2	((compar\$ with branch\$3) with (array with (boundar\$3 or end \$4 or empt\$5 or full\$4))).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/05/21 20:47
L7	0	((compar\$ near4 branch\$3) same (array near4 (boundar\$3 or end \$4 or empt\$5 or full\$4))).clm.	US-PGPUB; USPAT; UPAD	OR	OFF	2010/05/21 20:47
L8	13	, , , ,	US-PGPUB; USPAT; UPAD	OR	OFF	2010/05/21 20:47

5/ 21/ 10 8:50:17 PM C:\ Documents and Settings\ ALi\ My Documents\ EAST\ Workspaces\ 10807498.wsp